

Material Safety Data Sheet

Identification of the substance/preparation and of the company/undertaking

Trade Name	ShaliSlip
Intended Use	Shuttering Oil / Concrete Form Release Agent
Company Name	STP Limited 707 Chriranjiv Tower, 43 Nehru Place New Delhi 110019 Phone : +91 11 46561359 Fax : +91 11 46561358
Emergency Information	Phone : +91 8130298888 Fax : +91 11 46561358

[1] Composition / information on ingredients

Component	%	CAS No
Petroleum product	80 - 90%	68476 -30-2
Solvent	05 - 10%	1330-20-7
Additives	1 – 2 %	Trade secret
Petroleum Jelly	1 – 5 %	8009-03-8.

[2] Hazards Identification

Inhalation	May cause irritation to the respiratory tract, with symptoms of Bronchitis.
Ingestion	May cause abdominal cramps, nausea, vomiting, diarrhea
Skin Contact	Slightly irritating
Eye Contact	May cause irritation

[3] First-aid Measures

Inhalation	Allow the victim to rest in a well ventilated area. Seek a medical attention
Ingestion	Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.
Eye Contact	Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used. Do not use an eye ointment. Seek a medical attention.

Skin Contact	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Seek a medical attention
---------------------	--

[4] Fire-fighting Measures

Extinguishing Media	Foam, Carbon dioxide, Dry Chemical Powder. Water may be used to cool fire-exposed containers.
Special Fire Fighting procedures	Shut off leak, if safe to do so, .Keep non-involved people away from spill site. Eliminate all sources of ignition.
Unusual Fire & Explosion Hazards	it will spread along the ground and collect in sewers.

[5] Accidental Release Measures / Spills and Leaks

Steps to be taken in case material is released or spilled	Steps to be taken Shut off leak, if safe to do so, .Keep non-involved people away from spill site. Eliminate all sources of ignition. Prevent spill entering in to sewers, for Major spillage contact Emergency services
--	---

[6] Handling & Storage

Precautions for safe handling	Keep in tightly closed container in cool dry area from all sources of ignition
Other precautions	Provide general and/or local exhaust ventilation to control airborne levels below the exposure guidelines.

[7] Exposure Controls / Personal Protection

Engineering controls	Natural ventilation should be adequate under normal use conditions. Keep containers closed when not in use
Personal Protective Equipment	This product is not classified as hazardous, so PPE is not normally essential. However, it is generally recommended that contact with any chemical be kept to a minimum. Following is a guide to suggested PPE that may be utilised for handling this product.
Respiratory protection	Not normally applicable. Avoid mists.
Glove type (AS2161)	Protective gloves or suitable barrier cream

	recommended
Eye protection	Wear safety glasses, which comply with local standards
Clothing	N/A
Others	Use barrier creams to protect skin from contact with the material. Always wash hands before smoking, eating, drinking or using the toilet and after finishing work. Observe the usual precautions when handling chemicals

[8] Ventilation

Local Exhaust	Ensure adequate ventilation to comply with OEL.
---------------	---

[9] Physical & Chemical Properties

Appearance	Brown coloured liquid
Odour	Hydrocarbon
pH	NA
Boiling Point/Boiling range °C	215 -376
Specific Gravity	0.90 ± 0.05
Vapour pressure(kPa at 20 °C)	2.12 to 26mm Hg at 21 °C.
Melting Point /Freezing point	N/A
Water Solubility	Insoluble
Flash Point °C	>32
Lower Explosive limits	1%(V/V) minimum.
Upper Explosive limits	6%(V/V) maximum.

[10] Stability & Reactivity

Stability	Stable under normal conditions
Conditions to avoid	Sources of ignition, high temperature.
Incompatibility/Materials to avoid	Oxidising agents, strong acids, alkalis, Halogens
Hazardous Decomposition Products	Thermal decomposition:- Sulphur compounds, oxides of carbon.
Hazardous Polymerisation	Will not occur

[11] Toxicological Information

The following toxicological assessment is based on knowledge of the toxicity of the product's components. Oral LD50, rat >5g/kg

Health Effects

On Eyes : May cause transient irritation.

On Skin : Unlikely to cause harm on brief or occasional contact.
 By Inhalation: Low volatility makes inhalation unlikely at ambient temperatures.
 By Ingestion: Low order of acute toxicity. May cause irritation of mouth, throat and digestive tract.
 Chronic : None known

[12] Ecological Information

Environmental Assessment : When used and disposed of as intended, adverse environmental effects are foreseen.
 Mobility : Insoluble in water.
 Persistence and Degradability: Expected to be not readily biodegradable.
 Bioaccumulative Potential : Not expected to be bioaccumulative.
 Ecotoxicity : Expected to be ecotoxic to fish/daphnia/algae

[13] Disposal Consideration

Dispose in accordance with all local and governmental regulations
 Unused Product : Dispose of through an authorized waste contractor to a licensed site.
 Used/Contaminated Product: As for Unused product.
 Packaging : Empty containers may be having hazardous residues.

[14] Transport Information

This product is Not classified as dangerous for transport

UN number	None Allocated
Dangerous goods class	None Allocated
Subsidiary risk	None Allocated
EPG card	None Allocated
Shipping name	None Allocated
Packing group	None Allocated
Poisons schedule	None Allocated
Hazchem code	None Allocated

[15] Regulatory Information (Risk & Safety Phrases)

Risk Phrase	R40, R65, R66, R51/53
Safety Phrase	S2, S29, S36, S61, S62
Poisons Schedule	N/A
Hazard Category	None
Classification	Hazardous

[16] Other Health & Safety Information

Recommended uses and restrictions: If this product is re-distributed and re-formulated for sale, details of its hazards and recommended methods for safe handling must be passed to customers. Customers are urged to ensure that the product is entirely suitable for their own purpose. It is the customer's responsibility to ensure that a suitable and sufficient assessment of the risks created by a work activity using this product is undertaken before this product is used.

Note

The information contained in this Safety Data Sheet does not constitute the users own assessment of workplace risk as required by other Health & Safety Legislation (e.g. the Health and Safety at Work Act, 1974; the control of Substances Hazardous to Health Regulations, 1988). The data given here is based on current knowledge and experience. The purpose of this data sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the product's properties.