ShaliCem WPC





Material Safety Data Sheet

Identification of the substance/preparation and of the company/undertaking

Trade Name	ShaliCem WPC	
Intended Use	Used as Masonary Coating	
Company Name	STP Limited	
	43 Nehru Place	
	707 Chriranjiv Tower,	
	New Delhi 110019	
	Phone: +91 11 4656 1359	
	Fax : +91 11 4656 1358	
Emergency Information	Phone : +91 81302 98888	
	Fax : +91 11 4656 1358	

[1] Composition / information on ingredients

Component	%	CAS No
Potland cement	Approx.50 - 60% by wt.	65997-15-1
Additives	1-2%	7 /
Gypsum	4 - 6.5 %	7778-18-9
Respirable quartz	30 – 40 %	14808-60-7
Trace ingredients	0.75 %	1

[2] Hazards Identification

Inhalation	May cause irritation to the respiratory tract, with symptoms of Bronchitis.
Ingestion	May cause abdominal cramps, nausea, vomiting, diarrhea
Skin Contact	Slightly irritating
Eye Contact	May cause irritation

[3] First-aid Measures

Inhalation	Allow the victim to rest in a well ventilated area. Seek a medical attention
Ingestion	Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.
Eye Contact	Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used. Do not use an eye ointment. Seek a medical attention.

	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing							
Skiii Contact	and shoes.	Wash	clothing	before	reuse.	Seek	а	medical

[4] Fire-fighting Measures

Extinguishing Media	None, Product will not burn
Special Fire Fighting procedures	None
Unusual Fire & Explosion Hazards	None

[5] Accidental Release Measures / Spills and Leaks

Steps to be taken in case material is	Dilute with water and absorb with mop or
released or spilled	dry material and place in an appropriate
	waste disposal container.

[6] Handling & Storage

Precautions for safe handling	Keep in tightly closed container in cool dry area from all sources of ignition				
Other precautions	Provide general and/or local exhaust ventilation to control airborne levels below the exposure guidelines.				

[7] Exposure Controls / Personal Protection

be adequate itions. Keep
itione Kaan l
in use
Wear Sturdy
to eliminate
arrier creams
of gloves.
comply with
. ,
ore smoking,
he toilet and
ve the usual
chemicals

[8] Ventilation

Local Exhaust	Ensure	adequate	ventilation	to	comply
Local Exilaust	with OE	L.			

[9] Physical & Chemical Properties

Appearance	Grey powder
Odour	No distinct odour
pH(in water)	12 - 13
Boiling Point/Boiling range ℃	Not applicable
Specific Gravity	3.15
Vapour pressure(kPa at 20 ℃)	Not applicable
Melting Point /Freezing point	Not applicable
Water Solubility	Slightly soluble(0.1 – 1.0%)
Flash Point ℃	N/A
Lower Explosive limits	N/A
Upper Explosive limits	N/A

[10] Stability & Reactivity

Stability	Stable under normal conditions		
Conditions to avoid	Unintentional contact with water		
	Wet ShaliCem WPC is alkaline .As such		
Incompatibility/Materials to avoid	it is compatible with acids, ammonium		
	salts and phosphorous.		
Hazardous Decomposition Products	Will not spontaneously occur		
Hazardous Polymerisation	Will not occur		

[11] Toxicological Information

The following toxicological assessment is based on knowledge of the toxicity of the product's components. Oral LD50, rat >5g/kg

Health Effects

On Eyes : May cause transient irritation.

On Skin : Unlikely to cause harm on brief or occasional contact.

By Inhalation: Low volatility makes inhalation unlikely at ambient temperatures. By Ingestion: Low order of acute toxicity. May cause irritation of mouth, throat and

digestive tract.

Chronic : None known

[12] Ecological Information

Environmental Assessment : When used and disposed of as intended, no adverse environmental effects are foreseen.

Mobility : Soluble in water.

Persistence and Degradability: Expected to be not readily biodegradable. Bioaccumulative Potential : Not expected to be bioaccumulative.

Ecotoxicity : Expected to be ecotoxic to fish/daphnia/algae

[13] Disposal Consideration

Dispose in accordance with all local and governmental regulations

Unused Product : Dispose of through an authorised waste contractor to a

licensed site.

Used/Contaminated Product: As for Unused product.

Packaging : Dispose of bags in an approved landfill or incinerator.

[14] Transport Information

This product is NOT classified as dangerous for transport

UN number	None Allocated	
Dangerous goods class	None Allocated	
Subsidiary risk	None Allocated	
EPG card	None Allocated	
Shipping name	None Allocated	
Packing group	None Allocated	
Poisons schedule	None Allocated	
Hazchem code	None Allocated	

[15] Regulatory Information (Risk & Safety Phrases)		
Risk Phrase	R36/38 Irritating to Eyes and skin	
Safety Phrase	S23 Do not breath gas/fumes/vapour/spray	
Poisons Schedule	N/A	
Hazard Category	None	
Classification	Non-hazardous	

[16] Other Health & Safety Information

Recommended uses and restrictions: If this product is re-distributed and reformulated for sale, details of its hazards and recommended methods for safe handling must be passed to customers. Customers are urged to ensure that the product is entirely suitable for their own purpose. It is the customer's responsibility to ensure that a suitable and sufficient assessment of the risks created by a work activity using this product is undertaken before this product is used.

Note

The information contained in this Safety Data Sheet does not constitute the users own assessment of workplace risk as required by other Health & Safety Legislation (e.g. the Health and Safety at Work Act, 1974; the control of Substances Hazardous to Health Regulations, 1988). The data given here is based on current knowledge and experience. The purpose of this data sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the product's properties.

