





# **Material Safety Data Sheet**

Identification of the substance/preparation and of the company/undertaking

Trade Name	ShaliCryl <sup>®</sup> LM HI		
Intended Use	Effective heat insulation coating for both horizontal and		
	vertical surfaces.		
Company Name	STP Limited		
	707 Chriranjiv Tower,		
	43 Nehru Place		
	New Delhi 110019		
	Phone : +91 11 4656 1359		
	Fax : +91 11 4656 1358		
Emergency Information	Phone : +91 81302 98888		
	Fax : +91 11 4656 1358		

## [1] Composition / information on ingredients

Component	%	CAS No
Styrene /Pure Acrylic	25-35 %	9010 - 92 - 8
Coplymer		
Extenders	35 - 45 %	8061-51-6
Additives	5 – 10 %	Trade secret
Pigments	10 – 15 %	Trade secret
Water	15 – 25%	7732-18-5
Biocides	1-2 %	<b>CAS</b> 97-24-5

### [2] Hazards Identification

Inhalation	May cause irritation to the respiratory tract, with symptoms of Bronchitis.		
Ingestion	May cause abdominal cramps, nausea, vomiting, diarrhea		
Skin Contact	Slightly irritating		
Eye Contact	May cause irritation		

[3] First-aid Measures		
Inhalation	Allow the victim to rest in a well ventilated area. Seek a medical attention	

Ingestion	Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.
Eye Contact	Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used. Do not use an eye ointment. Seek a medical attention.
Skin Contact	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Seek a medical attention

# [4] Fire-fighting Measures

Extinguishing Media	None, Product will not burn
Special Fire Fighting procedures	None
Unusual Fire & Explosion Hazards	None

# [5] Accidental Release Measures / Spills and Leaks

Steps to be taken in case material is released or spilled	Dilute with water and absorb with mop or dry material and place in an appropriate waste disposal container.
---	---

# [6] Handling & Storage

Precautions for safe handling	1	Keep in tightly closed container in cool dry area from all sources of ignition	
Other precautions		Provide general and/or local exhaust ventilation to control airborne levels below the exposure guidelines.	

## [7] Exposure Controls / Personal Protection

Engineering controls	Natural ventilation should be adequate under normal use conditions. Keep containers closed when not in use
Personal Protective Equipment	This product is not classified as hazardous, so PPE is not normally essential. However, it is generally recommended that contact with any chemical be kept to a minimum. Following is a guide to suggested PPE that may be utilised for handling this product.

Respiratory protection	Not normally applicable. Avoid mists.
Glove type (AS2161)	Protective gloves or suitable barrier cream recommended
Eye protection	Wear safety glasses, which comply with local standards
Clothing	N/A
Others	Use barrier creams to protect skin from contact with the material. Always wash hands before smoking, eating, drinking or using the toilet and after finishing work. Observe the usual precautions when handling chemicals

# [8] Ventilation

Local Exhaust	Ensure adequate ventilation to comply with OEL.
---------------	---

# [9] Physical & Chemical Properties

Appearance	White viscous liquid	
Odour	Slight/faint	
рН	9-10	
Boiling Point/Boiling range °C	0°C/>100°C	
Specific Gravity	1.10 <u>+</u> 0.02	
Vapour pressure(kPa at 20°C)	2.3 (water)	
Melting Point /Freezing point	-10°C	
Water Solubility	soluble	
Flash Point °C	N/A	
Lower Explosive limits	N/A	
Upper Explosive limits	N/A	

# [10] Stability & Reactivity

Stability	Stable under normal conditions
Conditions to avoid	Temperatures below 0°C and above 50 °C.
Incompatibility/Materials to avoid	Oxidising agents, strong acids, alkalis,
incompatibility/waterials to avoid	Halogens
Hazardous Decomposition Products	Thermal decomposition: - Sulphur
Hazardous Decomposition Froducts	compounds
Hazardous Polymerisation	Will not occur

## [11] Toxicological Information

The following toxicological assessment is based on knowledge of the toxicity of the product's components. Oral LD50, rat >5g/kg

Health Effects

On Eyes : May cause transient irritation.

On Skin : Unlikely to cause harm on brief or occasional contact.

By Inhalation: Low volatility makes inhalation unlikely at ambient temperatures.

By Ingestion: Low order of acute toxicity. May cause irritation of mouth, throat and digestive tract.

Chronic : None known

### [12] Ecological Information

Environmental Assessmen	t : When used and disposed of as intended, no adverse
	environmental effects are foreseen.
Mobility	: Mobile liquid. Soluble in water.
Persistence and Degradability: Expected to be not readily biodegradable.	
<b>Bioaccumulative Potential</b>	: Not expected to be bioaccumulative.
Ecotoxicity	: Expected to be ecotoxic to fish/daphnia/algae

### [13] Disposal Consideration

Dispose in accordance with all local and governmental regulations

Unused Product	: Dispose of through an authorised waste contractor to a	
licensed site.		
Used/Contaminated Product: As for Unused product.		
Packaging	: May be steam cleaned and recycled.	

### [14] Transport Information

This product is NOT classified as dangerous for transport

UN number	None Allocated
Dangerous goods class	None Allocated
Subsidiary risk	None Allocated
EPG card	None Allocated
Shipping name	None Allocated
Packing group	None Allocated

Poisons schedule	None Allocated
Hazchem code	None Allocated

[15] Regulatory Information (Risk & Safety Phrases)	
Risk Phrase	N/A
Safety Phrase	N/A
Poisons Schedule	N/A
Hazard Category	None
Classification	Non-hazardous

### [16] Other Health & Safety Information

Recommended uses and restrictions: If this product is re-distributed and re-formulated for sale, details of its hazards and recommended methods for safe handling must be passed to customers. Customers are urged to ensure that the product is entirely suitable for their own purpose. It is the customer's responsibility to ensure that a suitable and sufficient assessment of the risks created by a work activity using this product is undertaken before this product is used.

#### Note

The information contained in this Safety Data Sheet does not constitute the users own assessment of workplace risk as required by other Health & Safety Legislation (e.g. the Health and Safety at Work Act, 1974; the control of Substances Hazardous to Health Regulations, 1988). The data given here is based on current knowledge and experience. The purpose of this data sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the product's properties.