SuperThermoLay SBS



HEAVY DUTY WATERPOOFING MEMBRANE FOR ROOFS

Material Safety Data Sheet

Identification of the substance/preparation and of the company/undertaking

Trade Name	SuperThermoLay SBS			
Intended Use	For Roof Buildings			
Company Name	STP Limited			
	43 Nehru Place			
	707 Chiranjiv Towers, New Delhi 110019, India			
	Phone: +91 11 4656 1359			
	Fax : +91 11 4656 1358			
Emergency Information	Phone: +91 81302 98888			
	Fax : +91 11 4656 1358			

[1] Composition / information on ingredients

Bituminous Blend

Component	%	CAS No
Bitumen	30-70 %	8052-42-4
Calcium carbonate	30-60%	471-34-1
SBS	7-15 %	9003-55-8
Naphthenic oil	10-30 %	64742-52-5
	Reinforcement	
	Some product may contains	
	polyster mat/fiberglass tissue	
Polyester mat	1-7 %	N/A
Fibre glass tissue	1-7 %	65997-17-3
	Under face and surface finish	
Polyethylene films	0-10 % 9002-88-4	
Slate flakes crystalline	0-13 %	14808-60-7
silica		
Silicon paper	6-20 %	N/A

[2] Hazards Identification

Inhalation	The product is not likely to cause effects on the respiratory system. If the membrane is torch-applied, asphalt fumes can be emitted of the product and cause irritations to the nose, the throat and the respiratory racts, tiredness, headaches, dizziness, nauseas and insomnia.
Ingestion	Exposure is not likely to occur by this route of entry under normal use of the product.
Skin Contact	The repeated or prolonged contact can cause irritation. If the membrane is torch-applied, asphalt fumes can be emitted. The long-term exposure to the asphalt fumes can cause changes of

	the pigmentation of the skin which can be worsened by the
	exposure to the sun. (1)
	The product is not likely to cause effects to the eyes. If the
	membrane is torch-applied, asphalt fumes can be emitted of the
Eye Contact	product and cause irritations, redness and conjunctivitis to the
	eyes. The contact with this product at high temperature can
	cause thermal burns.

[3] First-aid Measures

Inhalation	Remove to fresh air. Give oxygen / artificial respiration if needed. Consult Doctor.
Ingestion	Do not induce vomiting. Give plenty of milk or water. Consult Doctor.
Eye Contact	Flush with copious clean water minimum 15 minutes ensure thorough irrigation. Consult Doctor.
Skin Contact	Remove contaminated clothing. Apply proprietary skin cleaner, then wash with copious soap and water. Apply skin cream.

[4] Fire-fighting Measures

Extinguishing Media	Dry powder, CO2, Earth, Sand, Foam. Do not use Water.				
Special Fire Fighting procedures	Wear self contained breathing apparatus, Full protective clothing. Spray drums with Water to keep cool.				
Unusual Fire & Explosion Hazards	Vapour is heavier than air. Combustion Produces toxic gases				

[5] Accidental Release Measures / Spills and Leaks

Steps to be taken in case material is	Absorb	onto	inert	material,	e.g.	sand,
released or spilled	earth.	Put	into	suitable	conta	ainers.
	Prevent from entering water courses					

[6] Handling & Storage

	Keep in tightly closed container in cool
Frecautions for Sale Handling	dry area from all sources of ignition
Other precautions	Store away from oxidizing agents, peroxides, Food stuffs

[7] Exposure Controls / Personal Protection

	Self contain	ed breathir	ng apparatus	if in
Respiratory Protection (Type)	enclosed	spaces.	Otherwise,	not
	normally req	uired.		

[8] Ventilation

Local Exhaust	Ensure adequate ventilation to comply with OEL.
Protective Gloves	Rubber, PVC
Eye Protection	Safety goggles Long sleeved overalls

[9] Physical & Chemical Properties

Appearance	Black solid
Odour	Asphalt odour
pH	N/A
Boiling Point/Boiling range ℃	N/A
Specific Gravity	N/A
Vapour pressure(MM mercury	N/A
Melting Point /Freezing point	N/A
Water Solubility	Insoluble
Viscosity	N/A
Percentage Volatile by volume %	N/A
Evaporation Rate (Butyl Acetate=1)	N/A
Flash Point °C / Method used	N/A
Lower Explosive limits	NA
Upper Explosive limits	NA

[10] Stability & Reactivity

Stability	Stable under normal conditions		
Conditions to avoid	High temperatures		
Incompatibility/Materials to avoid	Oxidising agents, strong acids, alkalis, Halogens		
Hazardous Decomposition Products	Combustion produces toxic gases		
Hazardous Polymerisation	Will not occur		

[11] Toxicological Information

TOXICOLOGICAL DATA: Antimony Trioxide: (1)

LD50 (oral, rat): > 20 000 mg/kg Decabromodiphenyl Oxide: (1)

LC50 (rat): > 50 mg/kg

LD50 (oral, rat): > 5 000 mg/kg LD50 (dermal, rabbit): > 2 000 mg/kg No information available on other products

[12] Ecological Information

No data, This product is not biodegradable. No possible bioaccumulation and unlikely bioconcentration in the food chain.

[13] Disposal Consideration

This product is not hazardous waste. Consult local, provincial, territory or state authorities to know disposal methods

[14] Transport Information

Class	This product is not regulated by
	Department of Transportation
Packaging Group	N/A
Classification Code	N/A
Hazard Ident. Number	N/A
UN Number	N/A
RID-ADR	N/A
HI	N/A
Label	N/A
Technical Name	SBS Modified bituminous waterproofing
	membrane

[15] Regulatory Information (Risk & Safety Phrases)

R10	N/A
R40/21	N/A
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic Environment
S24	N/A
S36/37/39	Wear suitable protective clothing, gloves and eye / face protection

[16] Other Health & Safety Information

Recommended uses and restrictions: See below

Source of key information used to compile SDS, CHIP regulations 1994. EH40 If this product is re-distributed and re-formulated for sale, details of its hazards and recommended methods for safe handling must be passed to customers. Customers are urged to ensure that the product is entirely suitable for their own purpose. It is the customer's responsibility to ensure that a suitable and sufficient assessment of the risks created by a work activity using this product is undertaken before this product is used.

Note

The information contained in this Safety Data Sheet does not constitute the users own assessment of workplace risk as required by other Health & Safety Legislation (e.g. the Health and Safety at Work Act, 1974; the control of Substances Hazardous to Health Regulations, 1988). The data given here is based on current knowledge and experience. The purpose of this data sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the product's properties.